

Multiple Random Variables

Young W Lim

May 29, 2020

Copyright (c) 2018 Young W. Lim. Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

This work is licensed under a Creative Commons
"Attribution-NonCommercial-ShareAlike 3.0 Unported"
license.



Based on

Probability, Random Variables and Random Signal Principles,
P.Z. Peebles,Jr. and B. Shi

Outline

1 Sum of Random Variables

Outline

1 Sum of Random Variables

Sum of two random variables

Definition

Let W be a random variable equal to
the sum of two independent random variables X and Y

$$W = X + Y$$

the probability distribution function is defined by

$$F_W(w) = P\{W \leq w\} = P\{X + Y \leq w\}$$

$$\textcolor{blue}{x} + \textcolor{red}{y} \leq w$$

$$F_W(w) = \int_{-\infty}^{\infty} \int_{x=-\infty}^{w-y} f_{X,Y}(\textcolor{blue}{x}, \textcolor{red}{y}) dx dy$$

Convoltuion of density functions

Definition

Let $W = X + Y$

the probability distribution function is defined by

$$F_W(w) = \int_{-\infty}^{\infty} \int_{x=-\infty}^{w-y} f_{X,Y}(x,y) dx dy$$

$$f_W(w) = \int_{-\infty}^{\infty} f_X(x) f_Y(t-x) dx$$

the density function of the sum of
two statistically independent random variables
is the convolution of their individual density functions

Sum of two random variables (1)

Definition

$$F_W(w) = P\{W \leq w\} = P\{X + Y \leq w\}$$

$$\textcolor{blue}{x} + \textcolor{red}{y} \leq w$$

$$F_W(w) = \int_{-\infty}^{\infty} \int_{y=-\infty}^{w-\textcolor{blue}{x}} f_{X,Y}(\textcolor{blue}{x}, \textcolor{red}{y}) dy dx$$

$$f_W(w) = \frac{\partial}{\partial w} F_W(w) = \int_{-\infty}^{\infty} f_X(\textcolor{blue}{x}) f_Y(t - \textcolor{blue}{x}) dx$$

Sum of two random variables (2)

$$F_W(w) = \int_{-\infty}^{\infty} \int_{y=-\infty}^{w-x} f_{X,Y}(x,y) dy dx$$

$$F_W(w) = \int_{-\infty}^{\infty} \int_{y=-\infty}^{w-x} f_X(x) f_Y(y) dy dx$$

$$F_W(w) = \int_{-\infty}^{\infty} \int_{-\infty}^w f_X(x) f_Y(t-x) dt dx$$

$$F_W(w) = \int_{-\infty}^w \int_{-\infty}^{\infty} f_X(x) f_Y(t-x) dx dt$$

$$f_W(w) = \frac{\partial}{\partial w} F_W(w) = \int_{-\infty}^{\infty} f_X(x) f_Y(t-x) dx$$

<https://math.stackexchange.com/questions/1919545/sum-of-random-variables-and-convolution>

Sum of several random variables (1)

Definition

the sum Y of 3 independent random variables X_1, X_2, X_3

Let $Y_1 = X_1 + X_2$, then

$$f_{Y_1}(y_1) = f_{X_2}(x_2) * f_{X_1}(x_1)$$

Let $Y_2 = X_3 + Y_1$, then

$$f_{Y_2}(y_2) = f_{X_3}(x_3) * f_{Y_1}(y_1) = f_{X_3}(x_3) * f_{X_2}(x_2) * f_{X_1}(x_1)$$

Sum of several random variables (2)

Definition

the sum Y of N independent random variables X_1, X_2, \dots, X_N

Let $Y_1 = X_1 + X_2 + \dots + X_N$, then

$$f_Y(y) = f_{X_N}(x_N) * f_{X_{N-1}}(x_{N-1}) * \dots * f_{X_1}(x_1)$$

