Cache Mapping (1C)

Young Won Lim 6/2/16 Copyright (c) 2010-2016 Young W. Lim.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

Please send corrections (or suggestions) to youngwlim@hotmail.com.

This document was produced by using OpenOffice.

Young Won Lim 6/2/16

Cache Organization



Direct Mapping



Cache Memory Mapping (1C) Young Won Lim 6/2/16

2-Way Set Associative Mapping



4-way Set Associative Mapping

Mapping (1C)



Fully Associative Mapping

Mapping (1C)



6/2/16

Tag Field

Set 0 🖡	
Set 1	
Set 2	
Set 3	
Set 4	
Set 5	
Set 6	
Set 7	

Set 0	Ļ	
Set 1	Ļ	
Set 2	۰ŧ	
Set 3	Ļ	

Set 0	
Set 1	



Cache Mapping Method (set-view)



Cache Mapping Method (set-view)







8 sets	1-way	1 line / set
4 sets	2-way	2 lines / set
2 sets	4-way	4 lines / set
1 set	8-way	8 lines / set

Cache Mapping Method (way-view)









8 sets	1-way	1 line / set
4 sets	2-way	2 lines / set
2 sets	4-way	4 lines / set
1 set	8-way	8 lines / set

Direct Mapping



8 sets 1-way 1 line / set

The matched data block is used

2-Way Set Associative Mapping



4-way Set Associative Mapping



Fully Associative Mapping



References

- [1] http://en.wikipedia.org/
- [2] https://en.wikiversity.org/wiki/The_necessities_in_SOC_Design
- [3] https://en.wikiversity.org/wiki/The_necessities_in_Digital_Design
- [4] https://en.wikiversity.org/wiki/The_necessities_in_Computer_Design
- [5] https://en.wikiversity.org/wiki/The_necessities_in_Computer_Architecture
- [6] https://en.wikiversity.org/wiki/The_necessities_in_Computer_Organization
- [7] https://en.wikiversity.org/wiki/Understanding_Embedded_Software
- [8] Digital Systems, Hill, Peterson, 1987