Java AWT (1A)

Young Won Lim 4/4/14 Copyright (c) 2014 Young W. Lim.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

this document is based on http://sepwww.stanford.edu/oldsep/hale/FftLab.html

Please send corrections (or suggestions) to youngwlim@hotmail.com.

This document was produced by using OpenOffice.

Young Won Lim 4/4/14

Container

add(Component) add(String, Component) remove(Component) getComponents() setLayout(LayoutManager) getLayout()

Components

getBackground() setBackground(Color) getFont() setFont(Font) mouseDown(Event, int, int) show() resize(int, int) paint(Graphics) update(Graphics) move(int, int)

Layouts

getBackground() setBackground(Color) getFont() setFont(Font) mouseDown(Event, int, int) show() resize(int, int) paint(Graphics) update(Graphics) move(int, int)

References

- [1] Java in a nutshell, 4th ed, David Flanagan
- [2] An Introduction to Object-Oriented Programming with Java, C. Thomas, Wu
- [3] Power Java, I. K. Chun (in Korean)
- [4] http://sepwww.stanford.edu/oldsep/hale/FftLab.html
- [5] http://www.eng.auburn.edu/~rayh/java/java/AWT.Tutorial.html