

Control (1A)

Copyright (c) 2015 Young W. Lim.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".



Please send corrections (or suggestions) to youngwlim@hotmail.com.

This document was produced by using OpenOffice.

If Statement


```
if ( A ) B;  
else C;
```

```
if ( A ) B;
```




If Compound Statement

```
if ( A ) { B1; B2; B3; }
else    { C1; C2; }
```




```
if ( A ) { B1; B2; B3; }
```



Cases of **if-else** Statements (1)

Each of these *if* statements are treated as a **single statement**.



If clause and else clause can be

1) a single statement

St1;

2) a compound statement

{ **St1; St2; St3; }** }

3) a nested if statement

if (B)

4) a nested if-else statement

if (B)

else

Cases of **if-else** Statements (2)

if clause

single if clause

if (A) B1;

if-else clause

single if – single else clause

**if (A) B1;
else C1;**

single if – compound else clause

**if (A) B1;
else { C1; C2; }**

compound if clause

if (A) { B1; B2 }

compound if – single else clause



**if (A) { B1; B2 }
else C1;**

compound if – compound else clause

**if (A) { B1; B2 }
else { C1; C2; }**

Pairing **if** and **else**

An **else** clause is matched with the **closest if** clause





Nested If Statement (1)



```
if ( A1 )
if ( A2 )    B2;
else          C2;
else          C1
```



```
if ( A1 )
  if ( A2 )    B2;
  else          C2;
else          C1;
```



Nested If Statement (2)





```
if (A1)  
  if (A2)  
    if (A3)  B3;  
    else      C3;  
  else      C2;  
else      C1;
```

Nested If Statement (3)



```
if ( A1 )    B1;  
else  
if ( A2 )    B2;  
else          C2;
```



```
if ( A1 )    B1;  
else if ( A2 ) B2;  
else          C2;
```



Nested If Statement (4)



```
if (A1)    B1;  
elseif (A2)  B2;  
elseif (A3)  B3;  
else        C3;
```

Switch Statement (1)

```
switch ( A ) {
```

```
case A1: S1;
```

```
break;
```



```
case A2: S2;
```

```
break;
```

```
default : S3;
```



```
break;
```

```
}
```





Switch Statement (2)

```
switch ( A ) {  
    case A1: S1;  
    case A2: S2;  
    break;  
    default : S3;  
    break;  
}
```



Switch Statement (3)

```
switch ( A ) {  
    case A1:  
    case A2:    S2;  
                break;  
    default :   S3;  
                break;  
}
```



2-d Array

References

- [1] Essential C, Nick Parlante
- [2] Efficient C Programming, Mark A. Weiss
- [3] C A Reference Manual, Samuel P. Harbison & Guy L. Steele Jr.
- [4] C Language Express, I. K. Chun