

Introduction to Systems of Linear Equations

Copyright (c) 2012 Young W. Lim.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

Please send corrections (or suggestions) to youngwlim@hotmail.com.

This document was produced by using OpenOffice and Octave.

Linear Equations

2-dim  Line equation

$$a x + b y = c \quad (a, b \text{ not both } 0)$$

3-dim  Plane equation

$$a x + b y + c z = d \quad (a, b, c \text{ not both } 0)$$

n-dim  Hyper-Plane equation

$$a_1 x_1 + a_2 x_2 + \cdots + a_n x_n = b \quad (a_i \text{ not both } 0)$$

$$(n=2) \quad a_1 x_1 + a_2 x_2 = b \quad \Rightarrow \quad a x + b y = c$$

$$(n=3) \quad a_1 x_1 + a_2 x_2 + a_3 x_3 = b \quad \Rightarrow \quad a x + b y + c z = d$$

Homogeneous Linear Equations

2-dim  Line equation

$$a x + b y = 0 \quad (a, b \text{ not both } 0)$$

3-dim  Plane equation

$$a x + b y + c z = 0 \quad (a, b, c \text{ not both } 0)$$

n-dim  Hyper-Plane equation

$$a_1 x_1 + a_2 x_2 + \cdots + a_n x_n = 0 \quad (a_i \text{ not both } 0)$$

$$(n=2) \quad a_1 x_1 + a_2 x_2 = 0 \quad \Rightarrow \quad a x + b y = 0$$

$$(n=3) \quad a_1 x_1 + a_2 x_2 + a_3 x_3 = 0 \quad \Rightarrow \quad a x + b y + c z = 0$$

Linear Systems

System of Linear Equation


$$\begin{array}{l} \text{(Eq 1)} \longrightarrow a_{11} x_1 + a_{12} x_2 + \dots + a_{1n} x_n = b_1 \\ \text{(Eq 2)} \longrightarrow a_{21} x_1 + a_{22} x_2 + \dots + a_{2n} x_n = b_2 \\ \vdots \\ \text{(Eq m)} \longrightarrow a_{m1} x_1 + a_{m2} x_2 + \dots + a_{mn} x_n = b_m \end{array} \quad \left. \vphantom{\begin{array}{l} \text{(Eq 1)} \\ \text{(Eq 2)} \\ \vdots \\ \text{(Eq m)} \end{array}} \right\} m \text{ equations}$$

n unknowns


Linear Systems of 2 Unknowns

$$\text{(Eq 1)} \rightarrow a_{11}x_1 + a_{12}x_2 = b_1$$


$$\text{(Eq 2)} \rightarrow a_{21}x_1 + a_{22}x_2 = b_2$$



One solution



Too many solutions



No solution

Linear Systems of 2 Unknowns

$$\begin{cases} x - y = 1 \\ 2x + y = 6 \end{cases}$$


$$2x - 2y = 2$$

$$2x + y = 6$$

$$-3y = -4$$

$$\left(\frac{7}{3}, \frac{4}{3}\right)$$

One solution



$$\begin{cases} 4x - 2y = 1 \\ 16x - 8y = 4 \end{cases}$$


$$4x - 2y = 1$$

$$4x - 2y = 1$$

$$0 = 0$$

Too many solutions

(Eq 1=2)




$$\begin{cases} x + y = 4 \\ 3x + 3y = 6 \end{cases}$$

$$x + y = 4$$

$$x + y = 2$$

$$4 = 2$$

No solution




Linear Systems of 3 Unknowns

$$(Eq\ 1) \Rightarrow a_{11}x_1 + a_{12}x_2 + a_{13}x_3 = b_1$$

$$(Eq\ 2) \Rightarrow a_{21}x_1 + a_{22}x_2 + a_{23}x_3 = b_2$$

$$(Eq\ 3) \Rightarrow a_{31}x_1 + a_{32}x_2 + a_{33}x_3 = b_3$$




Linear Equations

$$a_{11}x_1 + a_{12}x_2 + \dots + a_{1n}x_n = b_1$$

$$\begin{bmatrix} a_{11} & a_{12} & \dots & a_{1n} \end{bmatrix} \begin{pmatrix} x_1 \\ x_2 \\ \vdots \\ x_n \end{pmatrix} = \begin{bmatrix} b_1 \end{bmatrix}$$

$$\sum_{j=1}^n a_{1j} \cdot x_j = b_1$$




Linear Equations

$$a_{21}x_1 + a_{22}x_2 + \dots + a_{2n}x_n = b_2$$

$$\begin{bmatrix} a_{21} & a_{22} & \dots & a_{2n} \end{bmatrix} \begin{pmatrix} x_1 \\ x_2 \\ \vdots \\ x_n \end{pmatrix} = \begin{bmatrix} b_2 \end{bmatrix}$$

$$\sum_{j=1}^n a_{2j} \cdot x_j = b_2$$




Linear Equations

$$a_{m1} x_1 + a_{m2} x_2 + \dots + a_{mn} x_n = b_m$$

$$\begin{bmatrix} a_{m1} & a_{m2} & \dots & a_{mn} \end{bmatrix} \begin{pmatrix} x_1 \\ x_2 \\ \vdots \\ x_n \end{pmatrix} = b_m$$

$$\sum_{j=1}^n a_{mj} \cdot x_j = b_m$$



Storing Magnetic Energy

References

- [1] <http://en.wikipedia.org/>
- [2] Anton, et al., Elementary Linear Algebra, 10th ed, Wiley, 2011
- [3] Anton, et al., Contemporary Linear Algebra,